



Clinical Science
Laboratory, Inc.

Drug Retention Chart

Drugs	Trade or Other Names	Detection Period	Usual Methods of Administration	Possible Effects
OPIATES:				
Opium	Paregoric, Laudanum	1 – 2 Days	Oral, Smoked	Euphoria Drowsiness Respiratory Depression Constricted Pupils Nausea
Morphine	Morphine, Heroin, Smack	1 – 2 Days	Oral, Smoked, Injected	
Codeine	Tylenol w/Codeine, Empirin w/Codeine, Robitussin A-C, Fiorinal w/Codeine	1 – 2 Days	Oral, Injected	
Hydromorphone	Dilaudid	1 – 2 Days	Oral, Injected	
Meperidine	Demerol, Merpergan, Pethidine	1 – 2 Days	Oral, Injected	
Methadone	Dolophine, Methadone	2 – 3 Days	Oral, Injected	
Oxycodone	Percodan, Percocet, Tylox	8 – 24 Hours	Oral, Injected	
HALLUCINOGENS:				
LSD	Acid, Microdot, Paper, Stars, Blot	Up to 24 Hours	Oral	Hallucinations Poor perception of time and distance Euphoria, Relaxed inhibitions, Increased appetite, Disoriented behavior
Designer Drugs	2,5 DMA, PMA, STP, MDA, MDMA, TMA, DOM, DOB	8 – 24 Hours	Oral, Injected	
Mescaline	Mesc, Cactus, Peyote, Caps	2 - 3 Days	Oral	
Phencyclidine	PCP, Angel Dust, Hog	2 – 5 Days	Smoked, Oral, Injected	
Tetrahydrocannabinol	Pot, Acapulco Gold, Grass, Reefer, Sinsemilla,, Thai Sticks, THC, Marinol, Hash	1 – 10 Days	Smoked, Oral	
STIMULANTS:				
Cocaine	Coke, Flake, Snow, Crack	2 – 3 Days	Sniffed, Smoked, Injected	Increased alertness Excitation, Euphoria, Increased pulse rate, Increased blood pressure, Insomnia, Loss of Appetite, Violence, Mood swings
Amphetamines	Biphematine, Delcobase, Desoxyn, Dexedrine, Obetrol	1 – 2 Days	Oral, Injected	
Phenmetrazine	Preludin	1 – 2 Days	Oral, Injected	
Methylphenidate	Ritalin	1 – 2 Days	Oral, Injected	
DEPRESSANTS:				
Alcohol	Beer, Wine, Liquor	6 – 10 Hours	Oral	Slurred speech, Disorientation, Drunken behavior, Life-threatening withdrawal
Barbiturates	Amytal, Butisol, Fiorinal, Nembutal, Seconal, Butalbital, Tuinal, Phenobarbital, Reds, Fioricet	2 – 10 Days	Oral	
Benzodiazepines	Ativan, Dalmane, Diazepam, Librium, Xanax, Serax, Valium, Tranxene, Versed, Halcion, Paxipam, Restoril	1 – 6 Days	Oral	
Methaqualone	Quaalude, Ludes	5 Days	Oral	
Glutethimide	Doriden	1 – 5 Days	Oral	
Propoxyphene	Darvon	2 – 3 Days	Oral	